



# Kinetics Fiberglass Isolator KIP-22\_QR2 Floating Floor System



 <p><b>VK ASIA</b> Innovative Building Materials</p> <p><b>VK Asia Company Limited</b> Mobile   Zalo   Whatsapp: 098 132 0674 Email: vkasiaco@gmail.com Internet: vkasia.vn</p>	ACOUSTIC APPLICATION	BUILD-UP INFORMATION		ACOUSTIC PERFORMANCE (Without Suspended Ceiling)									
	<p><b>Floating Floor System</b></p> <p><b>Fn: 13.0Hz - 12.2Hz</b></p>	<table border="1"> <tr> <td>Floating Floor:</td> <td>Concrete (100mm)</td> </tr> <tr> <td>Acoustic Underlayment:</td> <td><b>Kinetics Fiberglass KIP 22_QR2</b></td> </tr> <tr> <td>Subfloor:</td> <td>Plywood (13mm)</td> </tr> <tr> <td>Insulation:</td> <td>Fiberglass 50mm, Density 32kg/m3</td> </tr> <tr> <td>Application Area:</td> <td>Dry</td> </tr> </table>	Floating Floor:	Concrete (100mm)	Acoustic Underlayment:	<b>Kinetics Fiberglass KIP 22_QR2</b>	Subfloor:	Plywood (13mm)	Insulation:	Fiberglass 50mm, Density 32kg/m3	Application Area:	Dry	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p><b>IIC</b></p> <p><b>62</b></p> </div> <div style="text-align: center;"> <p><b>STC</b></p> <p><b>72</b></p> </div> </div>
Floating Floor:	Concrete (100mm)												
Acoustic Underlayment:	<b>Kinetics Fiberglass KIP 22_QR2</b>												
Subfloor:	Plywood (13mm)												
Insulation:	Fiberglass 50mm, Density 32kg/m3												
Application Area:	Dry												